(30) Priority Data:

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶:

A23L 1/212, 1/06, 1/24

A1

(11) International Publication Number: WO 96/11588

(13) International Publication Date: 25 April 1996 (25.04.96)

(21) International Application Number: PCT/EP95/03886

(22) International Filing Date: 2 October 1995 (02.10.95)

94307512.7 13 October 1994 (13.10.94) EP (34) Countries for which the regional or international application was filed: AT et al.

(71) Applicant (for AU BB CA GB IE KE LK MN MW NZ SD SG SZ TT UG only): UNILEVER PLC [GB/GB]; Unilever House, Blackfriars, London ECAP 4BQ (GB).

(71) Applicant (for all designated States except AU BB CA GB IE KE LK MN MW NZ SD SG SZ TT UG): UNILEVER N.V. [NL/NL]: Weens 455, NL-3013 AL Rottordam (NL).

(73) Inventors: BARRACLOUGH, Anthony, John, Riverside, Mill Road, Wellingborough, Northamptonshire NN8 1QW (GB). CLARK, Elsie, Mary: 9 Fairfax Road, Bedford MK40 4LS (GB). HART, Paul, Marcus; 154 Wymington Road, Rushden, Northamptonshire NN10 9LA (GB). THOMPSON, Eric, William; 320 Newton Road, Rushden, Northamptonshire NN10 0SY (GB). (74) Agent: KIRSCH, Susan, Edith; Unilever plc, Patent Division, Colworth House, Shambrook, Bedford MK44 1LQ (GB).

(81) Designated States: AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TI, TM, TT, UA, UG, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG), ARIPO patent (KE, MW, SD, SZ, UG).

Published

With International search report.

(54) Title: PROCESS FOR THE PREPARATION OF A POOD PRODUCT

(57) Abstract

A process for the preparation of tomato-based products of high quality and consistency comprising: subjecting a tomato paste to a high pressure shear field; adding a source of pectin methylesterase; incubating such that a desired consistency is achieved; and inactivating the pectin methylesterase. The product obtained preferably has a pulpy texture and appearance.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlots publishing international applications under the PCT.

			or but Whaten	MR	Mauricania
AT	Austria	GB.	United Klopken		
AU	Australia	GE	Cecutar	MM	Makeri
33	Burbados	GN	Gelses.	NZ	Niger
RE	Belgium	, GR	Greece	NL	Noterlands
37	Burkins Feso	HU	Hongary	NO	Norwey
BG	Bulgaria	JE	trained .	NZ	New Zealand
N	Besit	π	traly .	П.	Poland
Na.	Brazil	p	Inper	PT	Portugal :
37	Belave	102	Kanya	20	Romania
		KC	K)qqystan	RC	Russian Federation
CA	Control Name Name No.	107	Democratic People's Republic	\$33	Sadan
Œ	Central African Republic	-	of Korea	\$12	Sunda
CC	Congo				Sicresia
CH	Switzerhad	KR	Republic of Kores		
a	Case d'Ivoire	KZ	Karakhama	8X	Slovskia
CM	Centron	u	Linchscortein	3 N	Senegal
CN	China	L	Sri Lanks	TD	Ched
a	Cuchorlovskie	LU	Laterbourg	TC	Togo
Œ	Crech Republic	LV	Larvis	7)	Tajikissa
DE	Comenty	MC	Monaco	11	Tripided and Tobago
DX	Doublack	MD	Republic of Maldovs	UA	Uzraine
ES.		MC	Malagner	i i	Deput Start of America
n	Finance	ML	Mali	UZ	Uzbek Iman
re	France .	MIN	Mongolie	VN	Viet Nam
-	Cohen	•			

PCT/EP95/03886

1

PROCESS FOR THE PREPARATION OF A FOOD PRODUCT

Field of the Invention

The invention relates to a process for the preparation of tomato-based products of high quality and consistency and products obtained by this process.

Background to the Invention

10

15

20

It is desirable to be able to produce tomato-based products having a high consistency and quality with a low tomato solids content. In order to do this it is necessary to be able to substantially increase the viscosity of the tomato paste used to prepare such products, for example tomato-based sauces.

US 3 892 877 (Wagner et al) and US 3 976 805 (Becker) disclose processes for preparing tomato products of high consistency.

US 3 892 877 discloses a process comprising:

(1) maceration of raw tomatoes followed by heating; (2) treating the hot macerate with acid; (3) separation of the juice; (4) neutralisation of the juice; (5) homogenisation of the juice using either a conventional blender or a homogeniser (commonly used in creameries) which operates by forcing the juice under high pressure through a small orifice.

30

35

25

US 3 976 805 discloses a similar process except that a juice is first prepared by conventi nal techniques (ie. maceration and heating of raw tomatoes followed by extraction of juice from the macerate) and then an acid treatment, neutralisation and homogenisation is applied to the resulting juice.

∶5

PCT/EP95/03886

2

Such processes have the disadvantage that the tomato is subjected to a chemical treatment, ie acidification, which will damage cellular proteins and reduce texture and/or taste quality. Also, both US 3 892 877 and US 3 976 805 teach that the desired increase in consistency cannot be attained by homogenisation alone: the acidification step is essential.

- US-A-4556576 teaches subjecting concentrated tomato solids to the processing steps of (i) steam infusion, (ii) vacuum flask expansion, (iii) milling and (iv) high pressure homogenisation; the tomato products prepared by this process have increased consistency.
- EP-A-0123345 relates to methods for minimising flavour loss and controlling the consistency of tomato products containing one or more members of the Allium botanical genus, when processed primarily at temperatures below those commonly used. Gel formation is regulated (ie. promoted or prevented) by: pre-treatment of the allium; or heating the tomato product to a specific temperature prior to allium addition; or depolymerising the tomato pectin prior to allium addition.
- The present invention seeks to provide an improved process for manipulating the consistency and the texture of tomato-based products having a low solids content.

Disclosure of the Invention

30

According to the present invention, there is provided a tomato-based product comprising:

- (i) subjecting a tomato paste to a high pressure shear fild;
 - (ii) incubating the paste with a pectin methyl esterase source to achieve a desired consistency; and

15

25

30

PCT/EP95/03886

3

(iii) inactivating the pectin methyl esterase.

Using this process, a tomato sauce having a pulpy texture/appearance and an excellent consistency may be obtained. In contrast, a tomato sauce produced by homogenisation alone has a smooth texture/appearance. Preferably, the tomato sauce formed should not gel during processing.

The high pressure shear field is provided by homogenisation in a homogeniser (commonly used in creameries) which operates by forcing juice under high pressure through a small orifice. Preferably the pressure is from 560 to 7000 psi. Most preferably from 560 to 2800 psi.

The consistency increase achieved by the present invention cannot be achieved if a conventional blender is used for the homogenisation process.

The tomato paste prior to homogenisation may be provided by the conventional hot-break process.

In the hot-break process, raw tomatoes are fed into a vessel provided with steam coils (or steam jackets) and a rotating blade assembly for comminuting the tomatoes and agitating the material in the vessel so that good heat transfer will be obtained. By use of such equipment the raw tomatoes are efficiently formed into a macerate. The seeds, skin, bits of cores and other debris are then removed before homogenisation. The hot-break process is typically conducted at a temperature of greater than 80°C, especially from 85 to 95°C.

A suitable source of pectin methylesterase may be any vegetable or fruit, such as green beans, snap beans, potatoes, cauliflowers, sour cherries, green tomatoes, green peppers, oranges, apples, bananas, p are, turnips,

PCT/EP95/03886

4

onions, garlic and mixtures thereof. Immature fruit and vegetables are preferred. Particularly preferred sources of pectin methylesterase are those, such as green tomatoes, green peppers, green beans and snap beans, which produce a pulpy appearance, rather than a smooth gel appearance.

The pectin methylesterase source is added to the homogenised tomato paste, optionally with any other sauce ingredients. The mixture is then incubated to activate the enzyme and allow firming to occur. The incubation is typically conducted at 50°C for 30 minutes. Once the desired thickness has been achieved the temperature is raised so as to inactivate the enzyme. Typically the temperature is raised to 90°C for 10 minutes.

15

20

25

30

10

5 ·

Addition of calcium ions in conjunction with enzyme activation leads to additive firming effects. Calcium ions are preferably added up to a level of 500 ppm. Most preferably calcium is added at a level of from 100 to 1000 ppm. The calcium ions may be added before or after the incubation period.

Alternatively or additionally magnesium, copper and/or ferric ions can be added. These ions should be added after both the incubation period and the rise in temperature to inactivate the enzyme has occurred.

It is known that the addition of NaCl solubilises enzymes which results in accelerated gelling. Thus, if NaCl is added prior to processing, this is a problem, since the product forms an undesirable gel. Hence, NaCl is preferably added aft r the inactivation of the enzymes (ie. PME).

A further advantage of preparing a thickened tomato paste in accordance with this invention which includes using a high pressure shear field, is that the final product not

PCT/EP95/03886

5

only exhibits a high consistency but also the product is less subject to syneresis.

The tomato paste produced by this process can be sold as it is or can be used as the basic ingredient of products, such as sauces, ketchups, pizza toppings and soups.

Clearly any sauce product prepared may comprise a tomato content that is totally or only partly provided as a thick tomato paste made according to the invention.

Examples

Example 1

15

25

Tomato paste of 30 Brix was diluted to 12 Brix. This was then passed through a Crepaco dairy homogeniser twice at a pressure of 2000 psi.

The resulting paste was substantially thickened.

The thickened paste was diluted to 8 Brix and heated to 50°C. Oil, calcium chloride and green tomato puree (pectin methylesterase source) were added to achieve the following final composition.

Sauce Composition

	Homogenised tomato paste 8 Brix.	92.5%
30	Green tomato puree	6.3%
	NaCl	0.85%
	Soyabean oil	1.1%
	CaCl,.2H,O	0.05%

The mixture was incubated for 30 minutes at 50°C before raising the temperature to 90°C for 10 minutes. NaCl was added and the sauce was then cooled to room temperatur.

PCT/EP95/03886

6

The sauce had an excellent consistency and a pulpy appearance.

Example 2

5

15

20

25

A tomato paste was diluted to 12 Brix; it had a Bostwick value of 8.2.

A first portion of this original paste was passed through 10 a Crepaco dairy homogeniser at a pressure of 2000 psi; the resulting tomato paste had a Bostwick value of 5.4.

To a second portion of the original paste, a pectin methyl esterase source was added in accordance with example 1; the resulting tomato paste had a Bostwick value of 2.8.

A third portion of the original paste was passed through a Crepaco dairy homogeniser at a pressure of 2000 psi; a pectin methyl esterase source was then added in accordance with example 1; the resulting tomato paste had a Bostwick value of 0.5.

The Bostwick values were obtained as follows. A 100 ml sample at 25°C was placed into the Bostwick consistemeter and the distance flowed (cm) was measured. The higher the distance flowed, the lower the consistency or viscosity.

5

PCT/EP95/03226

7

CLAIMS

- 1. A process of providing a tomato-based product comprising:
- (i) subjecting a tomato paste to a high pressure shear field;
- (ii) incubating the paste with a pectin methyl esterase source to achieve a desired consistency; and
- 10 (iii) inactivating the pectin methyl esterase.
 - 2. A process according to claim 1, wherein the tomatobased product has a pulpy texture.
- 3. A process according to claim 1 or claim 2, wherein the tomato paste prior to homogenisation is provided by a hotbreak or cold-break process.
- 4. A process according to any preceding claim, wherein the pressure applied is from 560 to 7000 psi.
 - 5. A process according to any preceding claim, wherein the pressure applied is from 560 to 2800 psi.
- 25 6. A process according to any preceding claim, wherein the pectin methylesterase source is a vegetable, fruit or mixture thereof.
- 7. A process according to claim 6, wherein the pectin methylesterase source is selected from the group consisting of green beans, snap beans, potatoes, cauliflowers, sour cherries, green tomatoes, green peppers, oranges, apples, bananas, pears, turnips, onions, garlic and mixtures thereof.
 - 8. A proc ss according to claim 5, 6 or 7 wherein up to 400 ppm of a calcium ion is added either before or after incubation.

35

PCT/EP95/03886

8

- 9. A tomato sauce product obtainable by
- (i) subjecting a tomato paste to a high pressure shear field;
- (ii) adding a source of pectin methylesterase (iii) incubating such that a desired consistency is achieved; and
 - (iv) inactivating the pectin methylesterase.
- 10. A tomato sauce product as claimed in claim 9, wherein the pressure applied is from 560 to 2800 psi.

INTERNATIONAL SEARCH REPORT

onal Application No PCT/EP 95/03886 CLASSIFICATION OF SUBJECT MATTER A23L1/212 A23L1/06 A23L1/24 According to International Patent Classification (IPC) or to both national classification and IPC B. FIELDS SEARCHED Minimize documentation starched (classification system followed by classification symbols) IPC.6 A23L Documentation searched other than marginum documentation to the extent that such documents are included in the fields searched Electromic data have committed during the interpational search (name of data base and, where practical, search terms used) C. DOCUMENTS CONSIDERED TO BE RELEVANT Citation of document, with mulication, where appropriate, of the relevant passages Category . Reference to clean No. US,A,4 556 576 (D.P.GAEHRING) 3 December 1-10 1985 cited in the application see claims 1,6,10,15,16 see column 3, line 7-42 see column 6, line 12-23 see column 6, line 61-66 EP, A, 0 123 345 (PROCTER & GAMBLE) 31 1-10 October 1984 cited in the application see claims 1,2,10-15 see page 8, line 29 - page 9, line 36 WO,A,94 12055 (GIST-BROCADES) 9 June 1994 A 1,9 see claims X Further documents are listed to the continuation of box C. Patent family members are tired in attack. Special categories of cited documents: later document published after the international filling date or priority date and not in conduct with the application but sited to understand the principle or theory underlying the "A" document defining the general state of the art which is not considered to be of particular relevance. "E" earlier document but published on or after the international fling date "X" deciment of particular hill avance; the claimed invention cannot be considered acred or cannot be completed to device an inventive step when the document is taken elec-terative. document which may throw doubts on priority claim(d) or which is used to establish the publication date of smother unitaries or other special reason (as specified) "Y" document of periodic relevance the claimed inventors council in mentions with one in inventor the person document is mentioned with one or more other such document, such commission being obvious to a person delied in the art. *O" document referring to an oral durdowers, use, exhibition or document published prior to the international filing date but later than the priority date classed "A" stocument member of the tasse patent faculty Date of the actual completion of the international search Date of mailing of the international search report 4 December 1995 0 4. 01 96 Name and making address of the ISA Authorized officer Biropano Fancia Office, F.S. 7318 Fatesines 2 NL - 2230 HV Rijewsk Tel. (- 311-70) 340-2340, Tx. 31 431 epo nl, Fan: (+ 31-70) 340-2346

Van Hoer, A

Brystariis (mand shoul fluis 1987)

INTERNATIONAL SEARCH REPORT

the oral Application No PCT/EP 95/03886

CICanan		thi onal Application No PCT/EP 95/03886		
Category *	close) DOCUMENTS CONSIDERED TO BE RELEVANT Close of document, with indication, where appropriate, of the relevant passages			
			Relevant to class No.	
A	US,A,3 892 877 (J.R.WAGNER ET AL) 1 July 1975 cited in the application see the whole document		1,9	
	US,A,3 976 805 (R.BECKER) 24 August 1976 cited in the application see the whole document		1,9	
1				
. :			*** **********************************	
		l		
	•			
		ĺ		
		,	·	
			•	
	•			
1		İ		
			*	
-			. 1	
	•			
		-		
1				
1				
BA/218 Icaeth	station of second short (July 1913)		·	

لهدنول اديب

INTERNATIONAL SEARCH REPORT

information on patent femaly members

Brane 4	The second second		PCT/EI	95/03886
Patent document cited in search report	Publication date	Patent family member(s)		Publication
US-A-4556576	03-12-85	CA-A-	1228499	date
EP-A-123345	31-10-84	US-A- CA-A-	4547375 1214069	27-10-87 15-10-85 18-11-86
WO-A-9412055	09-06-94	AU-8- CA-A- EP-A- HU-A- PL-A-	5650594 2128249 0624062 67664 304693	22-06-94 09-06-94 17-11-94 28-04-95 09-01-95
JS-A-3892877	01-07-75	NONE	*****	
JS-A-3976805	24-08-76	NONE	***********	*****